

● PRINTER RUSH ●

(PTO ASSISTANCE)

Application : <u>107056454</u>	Examiner : <u>FOX</u>	GAU : <u>11038</u>
From: <u>T. McGill</u>	Location: <u>(IDC) FMF FDC</u>	Date: <u>3-1-05</u>
Tracking #: <u>6037724</u>		Week Date: <u>11-8-04</u>

DOC CODE	DOC DATE	MISCELLANEOUS
<input type="checkbox"/> 1449	_____	<input checked="" type="checkbox"/> Continuing Data
<input type="checkbox"/> IDS	_____	<input type="checkbox"/> Foreign Priority
<input type="checkbox"/> CLM	_____	<input type="checkbox"/> Document Legibility
<input type="checkbox"/> IIFW	_____	<input type="checkbox"/> Fees
<input type="checkbox"/> SRFW	_____	<input type="checkbox"/> Other
<input type="checkbox"/> DRW	_____	
<input type="checkbox"/> OATH	_____	
<input type="checkbox"/> 312	_____	
<input type="checkbox"/> SPEC	_____	

[RUSH] MESSAGE: Continuing data Application No. 08/945722
is listed on Palm/Bib sheet as CIP, but
specification reads DIV.

Please Note: Database contractor is
unable to update palm due to
error message (see attach)

Thank You

[XRUSH] RESPONSE: _____

INITIALS:

NOTE: This form will be included as part of the official USPTO record, with the Response document coded as XRUSH.
 REV 10/04